



Qingdao Flow Group Limited



35 mm x 55 mm x 10 mm NTN 7907CG/GNP4 angular contact ball bearings

Bearing No. 7907CG/GNP4

7907CG/GNP4 Bearing 2D drawings and 3D CAD models

Size	35x55x10 mm
Bore Diameter	35 mm
Outer Diameter	55 mm
Width	10 mm
d	35 mm
D	55 mm
B	10 mm
C	10 mm
Angle (°)	15 °
Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.07
EAN	4547359455991
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7 ISO P4
Material - Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	15 Degree
Preload	Light
Raceway Style	1 Rib Outer Ring
Cage Material	Nylon
Rolling Element	Ball Bearing



Qingdao Flow Group Limited

Mounting Arrangement	Universal
Flush Ground	Yes
Inch - Metric	Metric
Other Features	Single Row Angular Contact
Long Description	35MM Bore; 55MM Outside Diameter; 10MM Width; Open Enclosure; ABEC 7 ISO P4 Precision; Steel Ball Material; 1 (Single) Bearings; 15 Degree Contact Angle; Nylon Cage Material; 1 Rib Outer Ring Racewa
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	7907CG/GNP4
Weight / LBS	0.154
Bore	1.378 Inch 35 Millimeter
Width	0.394 Inch 10 Millimeter
Outside Diameter	2.165 Inch 55 Millimeter
bore diameter:	35 mm
radial dynamic load capacity:	1340 kg
outside diameter:	55 mm
radial static load capacity:	985 kg
overall width:	10 mm
maximum rpm:	25000 RPM
contact angle:	15 °
finish/coating:	Uncoated
internal clearance:	C0



Qingdao Flow Group Limited

outer ring width:	10 mm
closure type:	Open
fillet radius:	0.6 mm
precision rating:	ABEC 7 (ISO Class 4)
series:	79